

Meet

Design: Jooy



Cool round and rectangular small tables, with solid steel legs. Table tops with oak veneer or solid color melamine.

Fits well with Meet modular sofa series and other models.

Selection

1061 Table H55, Ø 60, oak veneer single color	Ø: 60 cm	H: 55 cm	
1062 Table H55, Ø 60, white melamine single color	Ø: 60 cm	H: 55 cm	
1063 Table H55, Ø 60, black melamine single color	Ø: 60 cm	H: 55 cm	
1064 Table H55, Ø 80, oak veneer single color	Ø: 80 cm	H: 55 cm	
1065 Table H55, Ø 80, white melamine single color	Ø: 80 cm	H: 55 cm	
1066 Table H55, Ø 80, black melamine single color	Ø: 80 cm	H: 55 cm	
1068 Table H55, 50x50, oak veneer single color	W: 50 cm	H: 55 cm	D: 50 cm
1069 Table H55, 50x50, white melamine single color	W: 50 cm	H: 55 cm	D: 50 cm
1070 Table H55, 50x50, black melamine single color	W: 50 cm	H: 55 cm	D: 50 cm
1071 Table H55, 50x90, oak veneer single color	W: 50 cm	H: 55 cm	D: 90 cm
1072 Table H55, 50x90, white melamine single color	W: 50 cm	H: 55 cm	D: 90 cm
1073 Table H55, 50x90, black melamine single color	W: 50 cm	H: 55 cm	D: 90 cm

Options

1074 Addition for other color on steel parts, per unit

Construction

Chassis in powder coated steel tubes.
Table top in plywood with veneer or malamin on top.
Standard selection: Oak, white and black.

Legs

Chassis in black powder coated steel. Other colors available upon request.
Hard plastic pads.

Tabletop

Other solid color surfaces can be provided on request.
For dark melamine surfaces, finger prints are more easily visible.

Mounting

Legs must be mounted on table tops.

Recycling

All steel parts are recyclable. During surface treatment, degreasing with alkaline washing takes place. After separation, the oil goes for destruction. Varnishing is done electrostatically with epoxy powder that gives minimal pollution. The plastic parts used are recyclable. All padding and frames are made of foam completely without freons. Only water-based and solvent free adhesives and hot melt adhesives are used.

**VAD AS**

Sandvikgata 14
6250 Stordal
Norway

www.vad.no
info@vad.no
+47 975 44 020

