



Pivot

Design: Sigurd Strøm & Torstein Nilsen



Flexible modular sofa series with quite many standard elements with or without back. 1-, 2- and 3-seater, inside and outside corners and arches, and much more.

The model series also includes Pivot Cave with extra high backs and sides, as well as matching tables.



Svensk Möbelfakta: 0120230828



NEPD-4969-4322



ID: 240075

Modules

4141 1-seater, without armrest	B: 57 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2147 1-seater, LSF armrest low 6 cm and RSF without armrest	B: 63 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2141 1-seater, LSF without armrest and RSF armrest low 6 cm	B: 63 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2137 1-seater, armrest both sides, low 6 cm	B: 69 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2148 1-seater, LSF armrest high 6 cm and RSF without armrest	B: 63 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2142 1-seater, LSF without armrest and RSF armrest high 6 cm	B: 63 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2138 1-seater, armrest both sides, high 6 cm	B: 69 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2149 1-seater, LSF armrest low 8 cm and RSF without armrest	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2143 1-seater, LSF without armrest and RSF armrest low 8 cm	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1347 1-seater, armrest both sides, low 8 cm	B: 73 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2150 1-seater, LSF armrest high 8 cm and RSF without armrest	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2144 1-seater, LSF without armrest and RSF armrest high 8 cm	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2140 1-seater, armrest both sides, high 8 cm	B: 73 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2151 1-seater, LSF connection low 8 cm and RSF without armrest	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2145 1-seater, LSF without armrest and RSF connection low 8 cm	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2152 1-seater, LSF connection high 8 cm and RSF without armrest	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2146 1-seater, LSF without armrest and RSF connection high 8 cm	B: 65 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1184 1,5-seater, without armrest	B: 75 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2163 1,5-seater, LSF armrest low 6 cm and RSF without armrest	B: 81 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2157 1,5-seater, LSF without armrest and RSF armrest low 6 cm	B: 81 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2153 1,5-seater, armrest both sides, low 6 cm	B: 87 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2164 1,5-seater, LSF armrest high 6 cm and RSF without armrest	B: 81 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2158 1,5-seater, LSF without armrest and RSF armrest high 6 cm	B: 81 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2154 1,5-seater, armrest both sides, high 6 cm	B: 87 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2165 1,5-seater, LSF armrest low 8 cm and RSF without armrest	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2159 1,5-seater, LSF without armrest and RSF armrest low 8 cm	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2155 1,5-seater, armrest both sides, low 8 cm	B: 91 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2166 1,5-seater, LSF armrest high 8 cm and RSF without armrest	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2160 1,5-seater, LSF without armrest and RSF armrest high 8 cm	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2156 1,5-seater, armrest both sides, high 8 cm	B: 91 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2167 1,5-seater, LSF connection low 8 cm and RSF without armrest	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2161 1,5-seater, LSF without armrest and RSF connection low 8 cm	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2168 1,5-seater, LSF connection high 8 cm and RSF without armrest	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2162 1,5-seater, LSF without armrest and RSF connection high 8 cm	B: 83 cm	H: 79 cm	D: 68 cm	SH: 45 cm
4142 2-seater, without armrest	B: 114 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2179 2-seater, LSF armrest low 6 cm and RSF without armrest	B: 120 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2173 2-seater, LSF without armrest and RSF armrest low 6 cm	B: 120 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2169 2-seater, armrest both sides, low 6 cm	B: 126 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2180 2-seater, LSF armrest high 6 cm and RSF without armrest	B: 120 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2174 2-seater, LSF without armrest and RSF armrest high 6 cm	B: 120 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2170 2-seater, armrest both sides, high 6 cm	B: 126 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2181 2-seater, LSF armrest low 8 cm and RSF without armrest	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2175 2-seater, LSF without armrest and RSF armrest low 8 cm	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1348 2-seater, armrest both sides, low 8 cm	B: 130 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2182 2-seater, LSF armrest high 8 cm and RSF without armrest	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2176 2-seater, LSF without armrest and RSF armrest high 8 cm	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2172 2-seater, armrest both sides, high 8 cm	B: 130 cm	H: 79 cm	D: 68 cm	SH: 45 cm

2213 2-seater, LSF connection low 8 cm and RSF without armrest	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2177 2-seater, LSF without armrest and RSF connection low 8 cm	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2214 2-seater, LSF connection high 8 cm and RSF without armrest	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2178 2-seater, LSF without armrest and RSF connection high 8 cm	B: 122 cm	H: 79 cm	D: 68 cm	SH: 45 cm
4143 3-seater, without armrest	B: 171 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2225 3-seater, LSF armrest low 6 cm and RSF without armrest	B: 177 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2219 3-seater, LSF without armrest and RSF armrest low 6 cm	B: 177 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2215 3-seater, armrest both sides, low 6 cm	B: 183 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2226 3-seater, LSF armrest high 6 cm and RSF without armrest	B: 177 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2220 3-seater, LSF without armrest and RSF armrest high 6 cm	B: 177 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2216 3-seater, armrest both sides, high 6 cm	B: 183 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2227 3-seater, LSF armrest low 8 cm and RSF without armrest	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2221 3-seater, LSF without armrest and RSF armrest low 8 cm	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1433 3-seater, armrest both sides, low 8 cm	B: 187 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2228 3-seater, LSF armrest high 8 cm and RSF without armrest	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2222 3-seater, LSF without armrest and RSF armrest high 8 cm	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2218 3-seater, armrest both sides, high 8 cm	B: 187 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2229 3-seater, LSF connection low 8 cm and RSF without armrest	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2223 3-seater, LSF without armrest and RSF connection low 8 cm	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2230 3-seater, LSF connection high 8 cm and RSF without armrest	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2224 3-seater, LSF without armrest and RSF connection high 8 cm	B: 179 cm	H: 79 cm	D: 68 cm	SH: 45 cm
4144 Corner element inside (90 degrees)	B: 68 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1188 Corner element inside large (90 degrees)	B: 80 cm	H: 79 cm	D: 80 cm	SH: 45 cm
1253 Corner element outside (90 degrees)	B: 68 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1189 Corner element outside large (90 degrees)	B: 80 cm	H: 79 cm	D: 80 cm	SH: 45 cm
2348 2-seater, left corner low and right back low	B: 125 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2349 2-seater, left back low and right corner low	B: 125 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1190 Inside arc (90 degrees)	B: 68 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1191 Inside arc large (90 degrees)	B: 80 cm	H: 79 cm	D: 80 cm	SH: 45 cm
1193 Outside arc (90 degrees)	B: 68 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1192 Outside arc large (90 degrees)	B: 80 cm	H: 79 cm	D: 80 cm	SH: 45 cm
4145 Arc inside 60 dgr	B: 160 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2279 Arc inside 60 dgr LSF without armrest and RSF armrest low 6 cm	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2280 Arc inside 60 dgr LSF without armrest and RSF armrest high 6 cm	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2281 Arc inside 60 dgr LSF without armrest and RSF armrest low 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2282 Arc inside 60 dgr LSF without armrest and RSF armrest high 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2283 Arc inside 60 dgr LSF without armrest and RSF connection low 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2284 Arc inside 60 dgr LSF without armrest and RSF connection high 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2285 Arc inside 60 dgr LSF armrest low 6 cm and RSF without armrest	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2286 Arc inside 60 dgr LSF armrest high 6 cm and RSF without armrest	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2287 Arc inside 60 dgr LSF armrest low 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2288 Arc inside 60 dgr LSF armrest high 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2289 Arc inside 60 dgr LSF connection low 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2290 Arc inside 60 dgr LSF connection high 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1194 Arc outside 60 dgr	B: 160 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2291 Arc outside 60 dgr LSF without armrest and RSF armrest low 6 cm	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2292 Arc outside 60 dgr LSF without armrest and RSF armrest high 6 cm	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2293 Arc outside 60 dgr LSF without armrest and RSF armrest low 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2294 Arc outside 60 dgr LSF without armrest and RSF armrest high 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2295 Arc outside 60 dgr LSF without armrest and RSF connection low 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2296 Arc outside 60 dgr LSF without armrest and RSF connection high 8 cm	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm

2297	Arc outside 60 dgr LSF armrest low 6 cm and RSF without armrest	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2298	Arc outside 60 dgr LSF armrest high 6 cm and RSF without armrest	B: 166 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2299	Arc outside 60 dgr LSF armrest low 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2300	Arc outside 60 dgr LSF armrest high 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2301	Arc outside 60 dgr LSF connection low 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
2302	Arc outside 60 dgr LSF connection high 8 cm and RSF without armrest	B: 168 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1195	Arc inside 30 dgr	B: 80 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1196	Arc outside 30 dgr	B: 80 cm	H: 79 cm	D: 68 cm	SH: 45 cm
1631	Chaiselonge	B: 68 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2334	Chaiselonge LSF without armrest and RSF armrest low 6 cm	B: 74 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2335	Chaiselonge LSF without armrest and RSF armrest high 6 cm	B: 74 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2336	Chaiselonge LSF without armrest and RSF armrest low 8 cm	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2337	Chaiselonge LSF without armrest and RSF armrest high 8 cm	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2338	Chaiselonge LSF without armrest and RSF connection low 8 cm	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2339	Chaiselonge LSF without armrest and RSF connection high 8 cm	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2340	Chaiselonge LSF armrest low 6 cm and RSF without armrest	B: 74 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2341	Chaiselonge LSF armrest high 6 cm and RSF without armrest	B: 74 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2342	Chaiselonge LSF armrest low 8 cm and RSF without armrest	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2343	Chaiselonge LSF armrest high 8 cm and RSF without armrest	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2344	Chaiselonge LSF connection low 8 cm and RSF without armrest	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
2345	Chaiselonge LSF connection high 8 cm and RSF without armrest	B: 76 cm	H: 79 cm	D: 136 cm	SH: 45 cm
1197	Chair without back	B: 57 cm	H: 45 cm	D: 68 cm	SH: 45 cm
1319	1.5-seater without back	B: 75 cm	H: 45 cm	D: 68 cm	SH: 45 cm
1198	2-seater without back	B: 114 cm	H: 45 cm	D: 68 cm	SH: 45 cm
1199	3-seater without back	B: 171 cm	H: 45 cm	D: 68 cm	SH: 45 cm
1330	Rest bench without back (three legs)	B: 200 cm	H: 45 cm	D: 68 cm	SH: 45 cm
1200	Corner element in-/outside large (90 degrees)	B: 80 cm	H: 45 cm	D: 80 cm	SH: 45 cm
1323	In-/outside arc (90 degrees) without back	B: 80 cm	H: 45 cm	D: 80 cm	SH: 45 cm
1324	In-/outside arc (60 degrees) without back	B: 160 cm	H: 45 cm	D: 68 cm	SH: 45 cm
1325	In-/outside arc (30 degrees) without back	B: 80 cm	H: 45 cm	D: 68 cm	SH: 45 cm
4150	Round stool (45 cm. dia.)	Ø: 45 cm	H: 45 cm		SH: 45 cm
4147	Round stool (68 cm. dia.)	Ø: 68 cm	H: 45 cm		SH: 45 cm
4148	Round stool (120 cm. dia.)	Ø: 120 cm	H: 45 cm		SH: 45 cm
1632	End piece, D-shape	B: 68 cm	H: 45 cm	D: 68 cm	SH: 45 cm

Arm rests

1214	Armrest/sidewall, LSF, high, per unit	B: 8 cm	H: 58 cm	D: 68 cm
1843	Armrest/sidewall RSF, high, per unit	B: 8 cm	H: 58 cm	D: 68 cm
1215	Armrest/sidewall LSF, low, per unit	B: 8 cm	H: 40 cm	D: 68 cm
1844	Armrest/sidewall RSF, low, per unit	B: 8 cm	H: 40 cm	D: 68 cm
1974	Connection sidewall (high) between two frames	B: 8 cm	H: 58 cm	D: 68 cm
1612	Connection sidewall (low) between two frames	B: 8 cm	H: 40 cm	D: 68 cm
1920	Armrest/sidewall LSF, high, per unit	B: 6 cm	H: 58 cm	D: 68 cm
1921	Armrest/sidewall RSF, high, per unit	B: 6 cm	H: 58 cm	D: 68 cm
1922	Armrest/sidewall LSF, low, per unit	B: 6 cm	H: 40 cm	D: 68 cm
1923	Armrest/sidewall RSF, low, per unit	B: 6 cm	H: 40 cm	D: 68 cm

Legs

1217 Bolt legs, powder painted, Ultra shine	B: 1 cm	H: 22 cm	D: 62 cm
1221 Tube legs, powder painted, black	B: 2 cm	H: 22 cm	D: 62 cm
2503 Square wooden legs, birch, laquered	B: 4,5 cm	H: 22 cm	D: 4,5 cm
2504 Square wooden legs, oak, laquered	B: 4,5 cm	H: 22 cm	D: 4,5 cm
2004 Round wooden legs, birch, laquered	Ø: 4 cm	H: 22 cm	
2005 Round wooden legs, oak, laquered	Ø: 4 cm	H: 22 cm	
2006 Round adjustable legs, aluminium	Ø: 4 cm	H: 22 cm	

Acessories

- 1218 Coupling joint, for joining freestanding elements, per pair
- 2386 USB Charging socket

Options

- 2007 Gap seat and back for 1- and 1,5-seater, per pc.
- 2008 Gap seat and back for 2-seater, corner and arc 30 dgr, per pc.
- 2009 Gap seat and back for 3-seater, arc 60 dgr and 90 dgr, per pc.
- 1227 Customized, seating height 48 cm., per leg (additional)
- 2327 Customized, seating height 51 cm., per leg (additional)
- 1927 Fixation to floor for sled, per unit
- 1225 Customized, reduced width of straight element
- 1226 Customized, odd angel
- 1928 Sofa base with HPL (black or white), seating height 45-48 cm, per meter
- 1929 Sofa base with HPL (black or white), seating height 65-68 cm, per meter
- 1931 Toeboard stainless, per unit

Construction

Frame in plywood construction with Nozag springs and cut cold cured foam.

Armrest / sides in plywood construction.

Bolt legs and tube legs in powder coated steel, wooden legs in specified type of wood and adjustable aluminum legs

Seating Height

Seating Height 45 cm, with Seating Depth of 50 cm. Possibility for higher seating height.

Legs

Standard leg is bolt leg powder coated in Jotun Ultrashine.

Tube legs powder coated in black (RAL 9011), and other specified standard legs available for the same price.

The leg options are presented after the seat elements, including legs in other colors.

Hard plastic pads.

Connections

Most modules can be connected with one or two other elements at no extra cost.

When ordering interconnections, a drawing of the layout must be attached.

Upholstery

Price Group A: Cura, Lido, Madison, Medley, Renewed Loop, Valencia, etc.

Price Group B: Bond, Cyber, Focus, Go, Grain, Jazz, Relate, Silvertex, Step, Wooly, etc.

Price Group C: Blues, Capture, Event, Focus Royal, Lillehammer, Margrethe, Pop, Sealife, etc.

Price Group D: Bardal, Crisp, Heidal, Illusion, Passion, Re-wool, Remix 3, Select, etc.

Price Group E: Barnum, Canvas, Chili, Gandal, Lambada, PUxx, Redal, Steelcut Trio 3, etc.

Price Group F: Breeze Fusion, Hallingdal, Heddal Stitched, Vadal, etc.

When providing own fabric, use Price Group A prices.

When providing own fabric, use Price Group A prices.

Addition for matching pattern, price depending on fabric. Expect longer delivery time.

Mounting

Armrest / sides must be mounted.

Legs and connections must be mounted.

Recycling

All steel parts are recyclable. During surface treatment, degreasing with alkaline washing takes place. After separation, the oil goes for destruction. Varnishing is done electrostatically with epoxy powder that gives minimal pollution. The plastic parts used are recyclable. All padding and frames are made of foam completely without freons. Only water-based and solvent free adhesives and hot melt adhesives are used.

**VAD AS**

Sandvikgata 14
6250 Stordal
Norway

www.vad.no
info@vad.no
+47 975 44 020

